





AN680 Water Based Cleaner

AN680 / US

Product Information


Product Description:

AN680 is a one component, water-based, low-VOC, multi-purpose cleaner for use in initial and final surface prep. Removes grease, wax, silicone, adhesives, tar, tree sap, insects, dirt and sanding residue.

	Mixing ratio:	Ready to use
	Tech notes:	AN680 Water Based Cleaner should not be allowed to dry on the surface. If this occurs, re-apply AN680 Water based cleaner using a clean cloth and wipe dry. Useful for sensitive surfaces. Always replace cap after use. May be applied with spray bottle. May be used as a "wet-sanding" lubricant.
	Substrate:	Sanded metal surfaces (like: Steel, galv. Steel, Aluminum...), OEM finishes, cured sealers, sanded primers, Plastics
	Application:	Wash surface with mild detergent and water. Rinse and dry surface. Soak clean cloth with AN680 Water Based Cleaner. Wipe surface with AN680 Water Based Cleaner and wipe dry with clean cloth before product dries.

Physical Data:	For USA/Canada (0.25/0.5 LBS.GAL Actual VOC Compliance)			
RTS REGULATORY DATA:	AS IS (US/Canada)		AS IS (outside US/Canada)	
	LBS./GAL	g/L	LBS./GAL	g/L
Actual VOC	0.20 Max.	25 Max.		
Regulatory VOC (less water and exempt solvents)	6.35 Max.	758 Max.	8.3 Max.	996 Max.
Density	7.5 – 8.5	900 - 1020	7.5 – 8.5	900 - 1020
	WT. %	VOL. %	WT. %	VOL. %
Total Solids Content	0.25 – 0.50	0.25 – 0.50	0.25 – 0.50	0.25 – 0.50
Total Volatile Content	99.50 – 99.75	99.50 – 99.75	99.50 – 99.75	99.50 – 99.75
Water Content	95 - 98	95 - 98	95 - 98	95 - 98
Exempt Compound Content	0	0		
Coating Category	Surface Cleaner		Surface Cleaner	

Note: US/Canadian Regulations allow for the use of exempt compounds for VOC calculations.

	<p>Precautions: During application all health and safety measures referring to the use and handling of coating materials are to be observed, e. g. existing regulations issued by the trade associations in the Chemical Industry. For Health and Safety information please refer the Material Safety Datasheet (MSDS). Information also available at www.valsparindustrialmix.com</p> <p>Note: The products listed are intended only for the professional user and for professional use. All recommendations in words and writing given on the use of our products to customers or users are not binding and do not give reasons for secondary obligations resulting from the bill of sale. Every care is taken to ensure that the technical information provided is accurate and up to date according to the present state of knowledge in science and our experience. These recommendations do not, however, exempt the customer from autonomously checking whether our products are suitable for the intend purpose. The durability of the coating system largely depends on the thorough preparation of the surface. Furthermore our universal terms of delivery and payment are applicable.</p> <p>With the publication of this Technical Data Sheet all previous versions regarding this product are no longer valid.</p>
--	--

If used as instructed, this product is designed to comply with the US National Volatile Organic Compound (VOC) Emission Standard for Automobile Refinish Coatings. Confirm compliance with state and local air quality rules before use. The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. Valspar assumes no obligation or liability for use of this information. **UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.** Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option.